

			Type of test	Cost per sample (USD)	Description of test	Tissue needed* for test	Timeline from sample receipt to final test result*	Reporting
Fee structure for the UF-IFAS Plant Diagnostic Center effective 3-1-2025. Questions? Special case? Bulk processing need? Regulatory issue? Please call us: 352-392-1795. Thank you for using our service.			Standard general diagnosis (non-Rapid Turf)	\$40 (\$50 for samples from outside the state of FL)	Triage, microscopy, culturing, and other basic tests as necessary.	Freshly-collected, symptomatic tissue with live and sick tissue apparent.	5-7 business days; bacterial pathogens can take up to 2 weeks plus additional tests for additional charge	Primary disease-causing organism genus-level identification; cultural and chemical management recommendations.
			Standard Rapid Turfgrass diagnosis	\$75.00	Triage, microscopy, culturing, and other basic tests as necessary (SCMV, pH/EC, etc.)	Freshly-collected, symptomatic tissue with live and sick tissue apparent: two cup-cutter-cores or 6"x6" pieces of sod. Aeration plugs or soil without turfgrass are insufficient.	2 business days for prelim if samples received by noon Thursday. Final report 4-8 days later. Samples received after noon or on Friday will start the reporting clock the next business day.	Generally genus-level identification; cultural and chemical management recommendations
			International (non-Rapid Turf) (prenotification, forms, and permits required -contact PDC@IFAS.UFL.EDU for information)	\$250.00	Triage, microscopy, culturing, and other basic tests as necessary (immunostrips, pH/EC, HR, oxidase, etc.). PCR or other advanced tests are charged on top of base charge, at prices below.	Freshly-collected, symptomatic tissue with live and sick tissue apparent. Prenotification for forms and permits required.	5-7 business days from receipt of sample; bacterial pathogens can take up to 2 weeks	Primary disease-causing organism genus-level identification; cultural and chemical management recommendations.
			International, Rapid Turfgrass (prenotification, forms, and permits required -contact PDC@IFAS.UFL.EDU for information)	\$300.00	Triage, microscopy, culturing, and other basic tests as necessary (SCMV, pH/EC, etc.)	Freshly-collected, symptomatic tissue with live and sick tissue apparent: two cup-cutter-cores or 6"x6" pieces of sod. Aeration plugs or soil without turfgrass are insufficient. Prenotification for forms and permits required.	2 business days for prelim if samples received by noon Thursday. Final report 4-8 days later. Samples received after noon or on Friday will start the reporting clock the next business day.	Generally genus-level identification; cultural and chemical management recommendations
Pathogen	Disease	Type of test	Cost per sample	Description of test	Tissue needed* for test	Timeline from sample receipt to final test result*	Reporting	
<i>Fusarium oxysporum</i> in palms	Fusarium wilt of palm suspected	Culturing, microscopy	\$40.00	Triage, culturing, microscopy	Trunk sawdust or rachis/petiole piece, usually from a frond showing one-sided blight. Photo of palm is required by email. Trunk/root tissue or any tissue from dead palms is not acceptable.	7-9 days	Genus-level identification; positive culture generally moves to PCR test for palm pathogens. If negative for <i>Fusarium</i> , other diagnosis will be reported.	
<i>Fusarium oxysporum</i> f.sp. <i>canariensis</i> and <i>palmarum</i>	Fusarium wilts of palm confirmed	PCR	\$40.00	This test is only applied after traditional diagnostic workup (\$40) has resulted in a <i>Fusarium</i> culture from rachis/stem/trunk tissue. DNA extraction, PCR, gel electrophoresis	Fusarium culture from infected rachis/petiole	2-3 business days (added to culturing timeline)	Species-level identification; does not differentiate between <i>canariensis</i> or <i>palmarum</i> fomae specialies; reports as detected/not detected	

Palm phytoplasmas	Lethal Yellowing or Lethal Bronzing of palms	Real-time PCR	\$60.00	Quantitative real-time PCR	Approx. 2 tablespoons of drill shavings from the trunk of a symptomatic tree, pseudobark discarded prior to sample collection. Photo of palm is required (email)	5 business days	Specific to palm phytoplasmas; reported as LY or TPPD detected/not detected
<i>Fusarium oxysporum</i> fsp. <i>cubense</i> , TR4	Banana Fusarium wilt, Tropical Race 4	Isothermal amplification	\$80.00	Extraction, isothermal amplification	Fresh stems with wilt or vascular discoloration	5 business days	Sub-species-level identification; reports as detected/not detected
<i>Tomato Brown Rugose Fruit Virus</i> , ToBRFV	Tomato Brown Rugose Fruit Virus	Isothermal amplification	\$80.00	Extraction, isothermal amplification	Fresh symptomatic fruit, leaves, or plants (NOT seeds)	5 business days	Species-level identification; reports as detected/not detected
<i>Blueberry Red Ringspot Virus</i>	Blueberry Red Ringspot	Conventional PCR	\$60.00	DNA extraction, PCR, gel electrophoresis	fresh, symptomatic stems and/or leaves	5 business days	Species-level identification; reports as detected/not detected
<i>Xylella fastidiosa</i>	Bacterial leaf scorch	Real-time or isothermal PCR	\$80.00	Stem extraction, DNA extraction, qPCR	Stems with leaves attached from symptomatic plants.	5 business days	Species-level identification; reports as detected/not detected
<i>Rhizobium radiobacter</i> (<i>Agrobacterium</i>)	Crown gall	Conventional PCR of Vir target on the Ti plasmid	\$60.00	DNA extraction, PCR, gel electrophoresis	Fresh stem with gall tissue; dead tissue is not acceptable	5 business days	Species-level identification; reports as detected/not detected
<i>Ca. Liberibacter asiaticus</i>	Citrus greening	qPCR	\$80.00	DNA extraction, PCR	Fresh symptomatic leaves with petiole and stem attached	5 business days	Species-level identification; reports as detected/not detected
<i>Phytophthora</i> or <i>Pythium</i> spp.	Phytophthora/Pythium blight or rot	Baiting, culture, microscopy	\$75.00	1 L water or soil sample saturated with water, baited with green pear or popcorn, plated on semiselective media for <i>Phytophthora/Pythium</i> spp., microscopy and morphological confirmation	prenotification to the lab is required. 1 L soil, with field moisture, sent overnight. 1 L water, from surface, sent overnight.	14 business days	Genus-level identification of detected/not detected; positive result does not indicate pathogenicity
<i>Raffaelea/Harringtonia lauricola</i>	Laurel wilt	Conventional PCR	\$80.00	Specialized DNA extraction, qPCR	Symptomatic wood from trunk/branch showing dark streaking; leaves/twigs or dead wood not acceptable	5 business days	Species-level identification; reports as detected/not detected
<i>Phytophthora ramorum</i>	Sudden oak death/Ramorum blight	qPCR	\$150.00	DNA extraction, triple qPCR	fresh, symptomatic stems and/or leaves	5 business days	Species-level identification; reports as detected/not detected
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> or <i>sepdonicus</i>	Tomato bacterial canker, potato rot	Isothermal amplification	\$80.00	Extraction, isothermal amplification	Fresh stems with wilt or vascular discoloration	5 business days	Sub-species-level identification; reports as detected/not detected
<i>Ralstonia solanacearum</i>	Southern wilt of Solanaceae, blueberry, rose	Serological and streaming	\$40.00	Immunostrip and streaming triage	Fresh crown or stems with vascular discoloration	Ralstonia +/- report in 1 day; fungal vs. bacterial report as early as 48 hours; sub-species-level identification may take up to 7 days at APHIS lab if needed	Ralstonia sp. +/-; Fungal vs. bacterial reported to genus; sub-species-level identification report generated by APHIS
<i>Dickeya</i> spp.	Soft rot of potato and other plants	Isothermal amplification	\$80.00	Extraction, isothermal amplification	Fresh stems/tubers with wilt or vascular discoloration	5 business days	Genus-level identification; reports as detected/not detected

<i>Dickeya dianthicola</i>	Black leg of potato	Culturing, pathogenicity, conventional PCR, sequencing	\$150.00	Culturing, selection, HR, DNA extraction, PCR of 2 genes, gel electrophoresis, sequencing, BLAST analysis	Fresh stems with wilt or vascular discoloration	Fungal vs. bacterial issue report as early as 48 hours; species-level identification may take up to 10 days	Fungal vs. bacterial issue report as early as 48 hours; species-level identification reports as detected/not detected
<i>Phytopathology testing upon request</i>	Many bacteria, fungi, and viruses; call to inquire (prenotification required to ensure we have all reagents and staff time available)	letter indicating test, sample, and results; test depending on pathogen target	\$50.00 per sample set, plus cost of analysis	cost covers appropriate methods research plus phytopathology letter to certifying official by email; assay costs depend on test needed	depends on test needed (seed, tissue culture plants, cuttings, etc.)	depends on test needed	Depends on test needed; reports as detected/not detected or "sample deemed free from" letter to phytopathology official
<i>Rush service</i>	Moves sample to front of line for immediate triage and preliminary report in 2 business days from triage of sample		\$50 per sample	prenotification requested to prepare for sample and discuss sampling	depends on test needed (seed, tissue culture plants, cuttings, etc.)	preliminary report 2 business days from triage of sample; final report depends on test type needed	
A la cart tests		Example	Type of test	Cost per sample	Description of test	Reporting	
Single conventional PCR	ITS, 16S, specific target	Molecular	\$60.00	DNA extraction, conventional PCR, and gel electrophoresis		detected/not detected if specific target; ITS and 16S are linked to sequencing	
Single conventional RT-PCR	RNA virus target, Potyvirus group	Molecular	\$80.00	RNA extraction, conventional Reverse-Transcription PCR, and gel electrophoresis		detected/not detected	
Sequencing	ITS, 16S, specific target	Molecular	\$20.00	amplicon cleanup and sequencing (single run, two directions) of single PCR product		raw sequence, sent in a Word or text file with sample report	
BLAST analysis	ITS, 16S, specific target	Molecular	\$40.00	sequence editing and comparison to BLAST NCBI database		top similar results (NCBI accessions), identity and query coverage	
Single real-time/qPCR	<i>Xylella fastidiosa</i>	Molecular	\$80.00	DNA extraction plus qPCR (real-time PCR)		detected/not detected	
MLSA (multi-locus sequence analysis)	Species of <i>Xanthomonas</i> , etc.	Molecular	\$400-800	Construction of concatenated phylogenetic tree for up to 4 genes	Charges on top of culturing, PCR, sequencing, and BLAST	individual results plus concatenated phylogenetic tree; may take up to 3+ weeks from date of pure culture	
ELISA	SCMV, <i>Phytophthora</i> sp.	Serological (immunological)	\$40.00	crude extraction, 96-well plate, spectrophotometric analysis		detected/not detected, family, genus, or species level	
Lateral flow device	INSV	Serological (immunological)	\$20.00	Most of our LFD tests are from Agdia Inc.		detected/not detected, genus or family-level	
Baiting	<i>Phytophthora/Pythium</i> spp. only. We do not test soil or water for any other pathogens.	bait, plating, microscopy	\$75.00	Plant material is floated in water or growth medium slurry for 2 days, then plated on semi-specific culture media, followed by microscopy at 72 hours. Each pathogen is one test = \$75.00: one sample tested for both pathogens = \$150.00		detected/not detected at genus level	

***Notes and explanations**

Days are business days, generally Monday through Friday, 9-5. We are closed all university, state, and federal holidays. Samples received before noon are processed that day; samples received after noon may be processed the next day. We make every effort to triage samples the day they arrive, and in the order in which they are received.

Timeline and outcome assumes high-quality and appropriate samples shipped quickly. Inappropriate plant part/dead/dry tissue is insufficient and a new submission will be required.

Prices are in-state (Florida); add \$10 for out-of-state due to containment processing. The basic sample fee is considered a client co-pay; much of your diagnostic costs are covered by the University of Florida and the National Plant Diagnostic Network (a USDA-NIFA program).

We do not test soil, water, planting material, or other substrates for mold or pathogens beyond *Pythium* and *Phytophthora*. We do not offer household mold identification (contact the UF Mycology Lab for consultation on indoor mold issues). We offer limited seed testing; call to consult with the lab director for specifics.

Our molecular and serological tests are conducted once per week; ship samples to arrive by noon Tuesday to be included in weekly test; samples received Tuesday afternoon-Friday will be extracted upon arrival, but test may be completed the following week.

Effective 3-1-2025